

APEX LINE TRADING LLC



In a rapidly changing environment like the world of today, our main concern is focused on customer satisfaction, offering a wide range of higher-quality products with designs that are more in line with the latest trends.


Consequently, we adapt so that we meet the highest demands, as well as the new uses and scenarios required bye consumers.

Our focus is on quality. We implement the strictest tests on our products and processes and we provide tiles that combine the tradition of ceramics with the latest cuttingedge developments.

Impressive And Luxury



APPLICATION AREA



TECHNICAL DETAILS





EASY YO INSTALL



M.

MAINTENANCE FREE



 \bigotimes

1111





DIFIENSIONAL STABIL



*

FROST PROOF

EASY TO CLEAN




ECO FRIENDLY



The Art Of Fusioning








Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
901	13.5	0.9 Squ./mtr.	8mm	5









902-HL



902-LT (R1)



902-LT (R3)



902-LT (R4)

902-LT (R2)


Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
902	13.5	0.9 Squ./mtr.	8mm	5




DIMENSIONAL















Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
903	13.5	0.9 Squ./mtr.	8mm	5











904-LT (R1)



904-LT (R2)



904-LT (R3)



904-LT (R4)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
904	13.5	0.9 Squ./mtr.	8mm	5



Technical Features

















905-LT (R2)

905-LT (R3)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
905	13.5	0.9 Squ./mtr.	8mm	5

Technical Features
















906-LT (R3)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
906	13.5	0.9 Squ./mtr.	8mm	5


Technical Features

 \mathbb{Z}















907-LT (R2)

907-LT (R3)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
907	13.5	0.9 Squ./mtr.	8mm	5

Technical Features









908-HL



908-LT (R1)



908-LT (R3)



908-LT (R4)

908-LT (R2)


Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
908	13.5	0.9 Squ./mtr.	8mm	5



Technical Features


DIMENSIONAL STABILITY











Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
909	13.5	0.9 Squ./mtr.	8mm	5











910-LT (R1)



910-LT (R3)





910-LT (R4)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
910	13.5	0.9 Squ./mtr.	8mm	5


















912-LT (R2)




912-LT (R3)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
912	13.5	0.9 Squ./mtr.	8mm	5

Technical Features













913-LT (R1)






913-LT (R2)

913-LT (R3)


Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
913	13.5	0.9 Squ./mtr.	8mm	5

Technical Features













914-LT (R2)




914-LT (R3)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
914	13.5	0.9 Squ./mtr.	8mm	5

Technical Features

DIMENSIONAL













915-LT (R1)




915-LT (R3)

Tiles NameWeightCoverage AreaThicknessPcs/Box91513.50.9 Squ./mtr.8mm5

Technical Features
















916-LT (R3)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
916	13.5	0.9 Squ./mtr.	8mm	5

Technical Features

DIMENSIONAL STABILITY













917-DK (R1)






917-DK (R2)

917-DK (R3)

Tiles Name	Weight	Coverage Area	Thickness	Pcs/Box
917	13.5	0.9 Squ./mtr.	8mm	5

Technical Features







Office 102-013, Al Mansoori Building, Al Barsha (South), Dubai - UAE Mob: (+971)54 5238 411. Ph: (+971)4 222 3369 Mail: info@apexlinetrading.com , vishnu@apexlinetrading.com Web: www.apexlinetrading.com